NOTICE - SOME ITEMS SUPERSEDED OR OBSOLETE

Schedule Number: N1-NU-07-007

Some items in this schedule are either obsolete or have been superseded by new NARA approved records schedules. This information is accurate as of: 11/22/2021

ACTIVE ITEMS

These items, unless subsequently superseded, may be used by the agency to disposition records. It is the responsibility of the user to verify the items are still active.

Items 14 through 19, Software Development

SUPERSEDED AND OBSOLETE ITEMS

The remaining items on this schedule may no longer be used to disposition records. They are superseded, obsolete, filing instructions, non-records, or were lined off and not approved at the time of scheduling. References to more recent schedules are provided below as a courtesy. Some items listed here may have been previously annotated on the schedule itself.

DAA-NU-2015-0003 supersedes items 1 through 13

	REQUEST FOR RECORDS DISPOSITION AUTHORITY			LEAVE BLANK (NARA use only)			
	KEUUESI FO	וא אבייטאט הופרטפון	ION AUTHORITY	JOB N	JMBER		
TO NATIONAL ARCHIVES and RECORDS ADMINISTRATION (NIR)				3081	1 308 NOWIBER 111-1111-07-7		
WASHINGTON, DC 20408				DATE	DATE RECEIVED		
1 FROM (Agency or establishment)					6/25/0/		
Down also and of News					NOTIFICATION TO AGENCY		
	ent of Navy				secondanas with the man	veren of AAU C	
MAJOR SUBDIVISION Naval Meteorology and Oceanography Command				In accordance with the provision of 44 U S C 3303a the disposition request, including			
3 MINOR SUBDIVISION					endments, is approved		
					ns that be marked "disp		
4 NAME	OF PERSON WIT	5 TELEPHONE		approved® or "withdrawn" in column to			
O D			200 000 4400	DATE ARCHIVIST OF THE UNITED STATES 8-28-08 Daries C. Shomas			
	Riemann	TON	228-688-4162	10-005	08 Odriesa	U.C. Thomas	
	NCY CERTIFICA	ITON im authorized to act for this a	annou in mottore containing	to the dian	scition of its roomids.	and that the	
		attached <u>(pages)</u> page(s) are					
		penods specified, and that					
	the GAO Manua	for Guidance of Federal Ag					
•	🛛 ıs not reg		s attached, or		has bee	n requested.	
DATE	-13-07	SIGNATURE OF AGENCY	REPRESENTATIVE	TYTLI	rctor of Re	- de	
	7-13-01	can to		120	retor at Kt	20-017	
7. ITEM	٥	DESCRIPTION OF ITEM AND	PROPOSED DISPOSITION		9. GRS OR SUPERSEDED	10. ACTION TAKEN (NARA	
NO.	о.	DESCRIPTION OF THEM AND	FROFUSED DISFUSITION		JOB CITATION	USE ONLY)	

		SEE ATTACHMI	ENT				
	i.						
1							
		v					
					(
ł	ł						
0		, , ,	A (2)			Nwmd, No	

115-109

NSN 7540-00-634-4064

PREVIOUS EDITION NOT USABLE

STANDARD FORM 115 (REV 3-91) Prescribed by NARA

36 CFR 1228





Naval Oceanographic Office (NAVO) proposes big bucket schedules for SSICs 3140-3148 to replace items previously scheduled and documented in the Navy Records Management Manual, SECNAV M-5210.1, December, 2005. Records reflect scientific disciplines relative to naval oceanography disciplines. Oceanographic section below was formatted for manual survey/processing methods and radio navigation aids, last used in 1980s.

Changes proposed reflect GPS navigation, internet, electronic products, and more current collection and processing software methods.

The proposed schedule is media neutral.

SSIC 3140-3148

GEOPHYSICAL, OCEANOGRAPHIC, HYDROGRAPHIC, BATHYMETRIC, METEOROLOGICAL, AND OTHER ENVIRONMENTAL SUPPORT

Records in this series (3140-3148) relate to all phases of oceanographic; meteorological; hydrographic functions. These records are accumulated by field activities and by departmental headquarters, major commands and offices that formulate or prescribe policies and/or procedures to the Naval Meteorology and Oceanography Command.

SSIC 3140 NAVAL OCEANOGRAPHY PROGRAM RECORDS

١. PRIMARY PROGRAM RECORDS. Correspondence and other records of Commander, Naval Meteorology and Oceanography Command (COMNAVMETOCCOM), and the following fourth echelon commands: Naval Oceanographic Office (NAVOCEANO), Fleet Numerical Meteorology and Oceanography Center, Naval Oceanography Operations Command, and Naval Meteorology and Oceanography Professional Development Center; and other NAVMETOCCOM facilities that document primary mission responsibilities for the development and execution of procedures pertaining to oceanography, meteorology, hydrography, or bathymetry related operations and to the performance of these operations. Examples of records include, but are not limited to, the records and files of Navy offices having liaison with interdepartmental, international, and treaty organizations consisting of reports, minutes, agendas and supporting papers. Also included are documentation records related to electronic records and their format, information, and use that must accompany each transfer of permanent records. The official copy of these records will be preserved and transferred to NARA in hardcopy form.

Official Record.

Permanent. Transfer records in hardcopy format to NARA when 5 years old.

GENERAL RECORDS. Files of third echelon and subordinate oceanography commands. Files and records documenting the organization of the command;

accomplishment of plans, studies, projects; essential transactions of the command (ship riders guides, procedures, reports, report templates, logs and specifications, survey technical specifications, CONOPS, ship schedules, ship parameters, ship CASREPs, SITREPS survey data, product and product dissemination transmittals), data/information product archiving.

Destroy after 2 years.

WEATHER PHENOMENA RECORDS. Files documenting the history of and research into hurricanes, typhoons, or other storms, ice formulation, meteorological and other weather or related phenomena; records related to meteorological equipment and materials research. Consists of reports, research data, photographs, and other supporting papers.

Permanent. Transfer to NARA when 5 years old.

SSIC 3141 OBSERVATION/MEASUREMENTS RECORDS

WEATHER OBSERVATIONS (Fleet Numerical Meteorology and Oceanography Center)

These observations include monthly observations that are routine observations from naval units; monthly observations from units attached to special missions or expeditions; reconnaissance observations and other observations not covered by specific directives, worldwide unclassified observations; NATO classified observations; and satellite observations.

Temporary. Destroy when 30 years old unless needed longer for reference.

5. LITTORAL SURVEY RECORDS

These surveys are conducted in littoral regions from ship, launch, aircraft, spacecraft, or other platforms using a variety of electronic survey equipment. These surveys may include physical, chemical, optical, and biological oceanography; multidiscipline environmental investigations; ocean engineering and marine acoustics; marine geology and geophysics; and hydrographic, bathymetric, and gravity surveys. Oceanographic data, in the form of raw observations, climatologist, databases or (after assimilation into physics-based numerical models or analyses) predictions, can be used for planning, executing, or analyzing naval operations or exercises. These surveys can be conducted as needs or opportunities arise, or when it is determined that environmental conditions have changed enough to warrant reinvestigation of a particular geographical area.

Records may include setup files areas, line plans, predicted tide heights, tide zones, observed tide files, sound velocity profiles, ship parameters, raw sensor data, acoustics data, final field validated data, cruise reports, reports of survey, airborne surveys and related files, geodetic records, MC&G records, prelimit 2

temperature/salinity data archive (raw/QC/climo/load), analyzed current records, optics properties records, bottom characteristics, geology and geophysics records, gravity records, magnetic records, XBT/CTD records, sound velocity profiles, and biology.

Temporary. Destroy when 30 years old unless needed longer for reference.

DEEP OCEAN SURVEY RECORDS

These surveys are conducted in the deep ocean from ship, aircraft, spacecraft, or other platforms using a variety of electronic survey equipment. These surveys may include physical, chemical, optical, and biological oceanography; multidiscipline environmental investigations; ocean engineering and marine acoustics; marine geology and geophysics; and bathymetric and gravity surveys. Data can be used for surface/subsurface navigations. Oceanographic data, in the form of raw observations, climatologies, databases, or (after assimilation into physics-based numerical models or analyses) predictions, can be used for planning, executing, or analyzing naval operations or exercises.

Records may include set-up files, areas, line plans, predicted tide heights, tide zones, sound velocity profiles, ship parameters, intermediate collection files, raw sensor data, intermediate processing files, final field validated files, field reports, preliminary temperature/salinity data archive (raw/QC/climo/load), analyzed current records, optics properties records, bottom characteristics, geology and geophysics records, gravity records, magnetics records, XBT/CTD records, sound velocity profiles, satellite records (Ocean Optics etc.), and biology.

Temporary. Destroy when 30 years old unless needed longer for reference.

SSIC 3142

DATA COLLECTION RECORDS

Correspondence reports and other papers documenting the make-up, revisions, and use of codes or formats in collecting, storing, and transmitting environmental information.

Temporary. Destroy when 25 years old unless needed longer for reference.

SSIC 3143

DATA ANALYSIS RECORDS

This is a qualitative and quantitative analysis function intended to validate the raw data surveyed from various survey projects. A working copy of the raw data is made and then edited and corrected. Once validated, the corrected copy is then released for use in providing products to various NAVOCEANO customers.

Records may include:

OPERATIONAL ANALYSIS, OFFICE BATHYMETRY VALIDATION Area Based Editor files (.PFM), SABRE files, Fledermaus/cube files, surfaces, BHPP files, hydrographic product creation, Caris files, Smooth Sheet history 3 report, and sounding data in various formats shared with other agencies and used in various NAVOCEANO products (edited area based editor files (PFM)s, validated multibeam GSF files, final thinned XYZ files, Bathymetric Attributed Gridded Surfaces (BAGS), Smooth Sheets).

Temporary. Destroy after 75 years old unless needed longer for reference.

9. NAVIGATION DATABASE (track plots, coverage plots)

Destroy data when no longer needed.

QUALITY-CONTROLLED PHYSICAL OCEANOGRAPHIC DATA SETS (Oceanographic data sets with QC flags set by OcnQC, NOPEDS, MOODS QC, acoustics, and other quality control systems and processes)

Destroy when no longer needed.

SSIC 3144

DATA PREDICTION RECORDS

These are predictions of observable phenomena that can be directly compared with data.

Records may include ocean or atmospheric circulation (current or wind speed and direction), ocean wave height, speed and direction, ocean tidal heights and water levels, ocean temperature, and salinity structure, etc.

OPERATIONAL ENVIRONMENTAL PREDICTIONS, ATMOSPHERIC/WEATHER PREDICTIONS, OCEAN PREDICTIONS (to include waves, circulation)

Temporary. Destroy after 30 years old unless needed longer for reference.

TIDE ANALYSIS
Tide Zone files
Tide Height files
Tide Reports

Temporary. Destroy after 30 years old unless needed longer for reference.



SSIC 3145

INFORMATION PRODUCTS

Operational support products and databases may include, geospatial information and system (GIS) products, and environmental analyses, etc. Also included are information products disseminated via web interface.

Records may include climatological information, seafloor datasets, Digital Bathymetric Data Base (DBDB-V) Variable resolution, Tactical Electronic Charts and Overlays 4

(TECO), other raster products, GISP database (storehouse for imagery analysis, Derived Bathymetry, Terrain Categorization, Geospatial Vector products, Two-Color Multi-View, AGI Derived Essential Elements of Information), Shallow Water Bathymetry Collections Database, Commercial Imagery Collections Database, 3D Fly-throughs, charts (Geotiff, PDF, Published Chart Imagery/Internet Viewable/Thinned), other vector products, Bathymetric Navigation Planning Chart (BNPC), Tactical Ocean Data –Level 2 (TOD2), digital charts, Hydro Reconnaissance Chart Database, SSBN – Quick Look Reports, Digital Nautical Chart (DNC) updates, field charts, (hard copy, PDF printable image, GEOTIF image, GIS placeable in decimal degrees, WGS-84.), Smooth Sheets, and validated field data provided to other agencies and host countries by prior agreement.

Permanent. Transfer to NARA when 5 years old.

SSIC 3146 (Refer to 3145)
DATA/INFORMATION/PRODUCT DISSEMINATION

SSIC 3147 (Refer to 3143)
DATA/INFORMATION QUALITY ASSURANCE

SSIC 3148 (Refer to 3140.2)

DATA/INFORMATION/PRODUCT ARCHIVING

SSIC 3149

SOFTWARE DEVELOPMENT

Software required for processing, analysis, or viewing of environmental data or numerical environmental model output, the source code of numerical environmental models, and the scripts necessary to manipulate files in complex systems of models and data used for analyses and predictions.

Examples of records include:

GOTS IN-HOUSE CREATED APPLICATIONS

To include government sponsored and government funded software. Could include source code, Makefiles, and necessary run-time scripts.

- DBDB-V software, by version/date
 Temporary. Destroy or delete 25 years after related software is superseded or obsolete.
- 15. BHPP software, by version/date
 Temporary. Destroy or delete 25 years after related software is superseded or obsolete.
- Data Warehouse software, by version/date
 Temporary. Destroy or delete 25 years after related software is superseded or obsolete.

Temporary. Destroy or delete 25 years after related software is superseded or obsolete.

/ X. UNISIPS

Temporary. Destroy or delete 25 years after related software is superseded or obsolete.

Environmental Modeling and Analysis software

Temporary. Destroy or delete 25 years after related software is superseded or obsolete.

Scripts supporting Environment Modeling and Analyses
Temporary. Destroy or delete 25 years after related software is superseded or obsolete.

GOTS IN-HOUSE CREATED SOFTWARE DOQUMENTATION Would include documentation needed for product production.

Software descriptions, usage (To include file format descriptions.)
Temporary. Destroy of delete 25 years after related software is superseded or obsolete.

Processing guides

Temporary. Destroy or delete 25 years after related software is superseded or obsolete.