

<b>REQUEST FOR RECORDS DISPOSITION AUTHORITY</b> <i>(See Instructions on reverse)</i>	<b>LEAVE BLANK (NARA use only)</b>
--	------------------------------------

TO: NATIONAL ARCHIVES and RECORDS ADMINISTRATION (NIR)  
 WASHINGTON, DC 20408

JOB NUMBER  
*NI-142-92-22*

DATE RECEIVED  
*6/10/92*

1. FROM (Agency or establishment)  
 TENNESSEE VALLEY AUTHORITY

**NOTIFICATION TO AGENCY**

2. MAJOR SUBDIVISION  
 RESOURCE GROUP

In accordance with the provisions of 44 U.S.C. 3303a the disposition request, including amendments, is approved except for items that may be marked "disposition not approved" or "withdrawn" in column 10.

3. MINOR SUBDIVISION  
 NATIONAL FERTILIZER AND ENVIRONMENTAL RESEARCH CENTER

4. NAME OF PERSON WITH WHOM TO CONFER | 5. TELEPHONE  
 LINDA E. BLEVINS | 615-751-2524

DATE | ARCHIVIST OF THE UNITED STATES  
*1-10-94* | *Trudy Hudak-Rettig*

WHM

6. AGENCY CERTIFICATION  
 I hereby certify that I am authorized to act for this agency in matters pertaining to the disposition of its records and that the records proposed for disposal on the attached 1 page(s) are not now needed for the business of this agency or will not be needed after the retention periods specified; and that written concurrence from the General Accounting Office, under the provisions of Title 8 of the GAO Manual for Guidance of Federal Agencies,  
 is not required;  is attached; or  has been requested.

DATE <i>6/3/92</i>	SIGNATURE OF AGENCY REPRESENTATIVE <i>Linda E. Blevins</i>	TITLE ASSISTANT TVA ARCHIVIST
-----------------------	---	----------------------------------

7. ITEM NO.	8. DESCRIPTION OF ITEM AND PROPOSED DISPOSITION	9. GRS OR SUPERSEDED JOB CITATION	10. ACTION TAKEN (NARA USE ONLY)
1	See the attached new item, Muscle Shoals Water Plant Operating Records		

*Copies sent to ANS, NSE, to the agency 2/2/94* (with initials)

1. MUSCLE SHOALS WATER PLANT OPERATING RECORDS

The TVA Water Plant at the Muscle Shoals reservation was built in the 1930's to provide a source of water for TVA's Muscle Shoals, Alabama, reservation. The Water Plant is part of the National Fertilizer and Environmental Research Center, Prototype Operations.

The Alabama Department of Environmental Management (ADEM) requires the Water Plant to retain operating information contained on the following forms: TVA 5625, Residual Chlorine Tests; TVA 5628, Filter Log; TVA 5630, Daily Filter Report - Water Plant; TVA 29111, Hourly Tap Water Readings (Turbidity, PH-Residual Chlorine); and TVA 29210, Daily Turbidity Log Sheet. A written procedure provided by ADEM is followed by the Water Plant operators. The procedure requires any system utilizing surface water to complete daily log sheets for each shift. All records/forms containing bacteriological and chemical analyses; water production; ground water level information; filter operation records; distribution pressure requirements records; and water loss information records are completed and filed with ADEM weekly. TVA maintains their copies of these forms, filed chronologically, for 5 calendar years as required by ADEM procedures.

DISPOSITION

Destroy when 5 calendar years old as required by ADEM procedures.