

# INACTIVE - ALL ITEMS SUPERSEDED OR OBSOLETE

## **Schedule Number: NC1-142-83-18**

All items in this schedule are inactive. Items are either obsolete or have been superseded by newer NARA approved records schedules.

### Description:

Item 1 was superseded by NC1-142-85-12 item 2711

Item 2 was superseded by NC1-142-85-12 item 2710

Date Reported: 07/28/2022

NC1-142-83-18

# INACTIVE - ALL ITEMS SUPERSEDED OR OBSOLETE

**REQUEST FOR RECORDS DISPOSITION AUTHORITY**  
(See Instructions on reverse)

LEAVE BLANK	
JOB NO	
<i>NCI-142-83-18</i>	
DATE RECEIVED	
<i>5-2-83</i>	
NOTIFICATION TO AGENCY	
In accordance with the provisions of 44 U.S.C. 3303a the disposal request, including amendments, is approved except for items that may be stamped "disposal not approved" or "withdrawn" in column 10.	
<i>5-18-83</i> Date	<i>Robert M. Marz</i> Archivist of the United States

TO: **GENERAL SERVICES ADMINISTRATION,  
NATIONAL ARCHIVES AND RECORDS SERVICE, WASHINGTON, DC 20408**

1. FROM (AGENCY OR ESTABLISHMENT)  
*Tennessee Valley Authority*

2. MAJOR SUBDIVISION  
*Office of Engineering Design and Construction*

3. MINOR SUBDIVISION  
*Division of Construction*

4. NAME OF PERSON WITH WHOM TO CONFER  
*Ronald E. Brewer*

5. TEL. EXT  
*FTS 858-2520*

6. CERTIFICATE OF AGENCY REPRESENTATIVE

I hereby certify that I am authorized to act for this agency in matters pertaining to the disposal of the agency's records; that the records proposed for disposal in this Request of 3 page(s) are not now needed for the business of this agency or will not be needed after the retention periods specified.

A Request for immediate disposal.

B Request for disposal after a specified period of time or request for permanent retention.

C. DATE <i>4/25/83</i>	D. SIGNATURE OF AGENCY REPRESENTATIVE <i>Ronald E. Brewer</i>	E. TITLE Assistant TVA Archivist
---------------------------	--	-------------------------------------

7. ITEM NO.	8. DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)	9. SAMPLE OR JOB NO.	10. ACTION TAKEN
1	<p align="center"><u>QUALITY ASSURANCE RECORDS</u></p> <p>This records series consists of microfilmed records documenting the procedures and standards by which the Sequoyah and Watts Bar Nuclear Plants were constructed and attesting to the quality of work done including the fabrication and installment of equipment. Documentation in this records series includes, but is not limited to, the following types of information:</p> <ul style="list-style-type: none"> <li>. Inspection and Test Records</li> <li>. Certificates of Compliance</li> <li>. Mill Certifications</li> <li>. Nonconformance Reports</li> <li>. Support Modification Requests and Support Variance Sheets</li> </ul>		<i>5 items</i>

115-107

*to agency, by RTB, 5/20/83*  
*to 4KRA, by DMW 6/1/83*  
*no copy to FRC - no MDC sheet needed*

**STANDARD FORM 115**  
Revised April, 1975  
Prescribed by General Services Administration  
FPMR (41 CFR) 101-11.4

## Request for Records Disposition Authority - Continuation

JOB NO.

PAGE OF  
2 3

7. ITEM NO.	8. DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)	9. SAMPLE OR JOB NO.	10. ACTION TAKEN
1	<p>These records are created and received on the construction sites and must be maintained in compliance with Nuclear Regulatory Commission requirements and with standards prescribed by the American National Standards Institute.</p> <p>These records are microfilmed on 16 mm roll microfilm with the index for each cartridge filmed at the beginning of each roll. Documents not suitable for microfilming are retained in hard copy and referenced on the film by a document location notice. As applicable systems and structures are turned over to the Office of Power, the documents not suitable for microfilming, a microfilm copy of records, and the hard copy index to filmed and unfiled records are transferred to the Division of Nuclear Power.</p> <p>These records have potential legal value should there be any problems at the plants after construction has been completed and during operation. Because of administrative reference needs and compliance with 10 CFR 50 and ANSI N45.2.9-1974, the following disposition is requested:</p> <p><u>DISPOSITION</u></p> <p><u>MICROFILM</u></p> <p>(1) OEDC Record Copy - Destroy when facility is retired.</p> <p>(2) Reference Copies - Destroy in agency when no longer needed for reference.</p>		
2	<p><u>PROCUREMENT DOCUMENT RECORDS</u></p> <p>This records series includes microfilmed requisitions, specifications, contracts, vendor data, and related correspondence for the procurement of construction materials, supplies, and equipment for Sequoyah and Watts Bar Nuclear Plants.</p>		

## Request for Records Disposition Authority - Continuation

JOB NO.

PAGE OF  
3 3

7. ITEM NO.	8. DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)	9. SAMPLE OR JOB NO.	10. ACTION TAKEN
2	<p>Included are forms such as:</p> <ul style="list-style-type: none"> <li>TVA 5050 - Invitation to bid</li> <li>TVA 360 - Bid</li> <li>TVA 362 - Acceptance</li> <li>TVA 201 - Purchase Requisition</li> <li>TVA 1551 - Addenda</li> <li>TVA 394 - Change of Contract</li> <li>TVA 209 - Receiving Reports Contract</li> <li>Correspondence</li> <li>TVA 10526B - QA &amp; Shipping Release</li> <li>Data packages as furnished by the supplier (material, test reports, certificates of compliance, etc.)</li> </ul> <p>As the plant is turned over to the Office of Power, two copies of the microfilm and microfilm index as well as two hard copy indexes are transferred to the Division of Nuclear Power.</p> <p>The records have potential legal value should there be any problems at the plants after construction has been completed and during operation.</p> <p>Because of administrative reference needs and compliance with 10 CFR 50 and ANSI N45.2.9-1974, the following disposition is requested:</p> <p><u>DISPOSITION</u></p> <p>A. <u>Microfilm</u></p> <ul style="list-style-type: none"> <li>(1) <u>OEDC record copy</u> Destroy when plant is retired.</li> <li>(2) <u>Reference copies</u> Destroy in agency when no longer needed for reference.</li> </ul> <p>B. <u>Microfilm (16mm) index</u> Destroy with related microfilm.</p>		