

DATE: 11-14-2017

JFK Assassination System
Identification Form

Date: 5/28/201

Agency Information

AGENCY : FBI
RECORD NUMBER : 124-10219-10252

RECORD SERIES : HQ

AGENCY FILE NUMBER : 92-2914-315, 316

Document Information

ORIGINATOR : FBI
FROM : SAC, PG
TO : DIRECTOR, FBI

TITLE :

DATE : 05/11/1964
PAGES : 7

SUBJECTS :

GM, SMO, ASSOC, MISUR, CONTIN, KEN IRON AND STEEL
CO.

DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT
CLASSIFICATION : Secret
RESTRICTIONS : 1B; 1C
CURRENT STATUS : Redact
DATE OF LAST REVIEW : 07/22/1998

OPENING CRITERIA : INDEFINITE

COMMENTS : INC A/T

DATE: 11-14-2017

FD-143 (Rev. 4-2-63)
OPTIONAL FORM NO. 10
MAY 1962 EDITION
GSA GEN. REG. NO. 27

5010-106

UNITED STATES GOVERNMENT

Memorandum

SECRET

JUNE

TO: DIRECTOR, FBI (Bufile 92-2914) DATE: 5/11/64
92-2918

FROM: SAC, PITTSBURGH (92-236-Sub 2)
(92-228-Sub 2)

CLASSIFIED BY 5685LD/6CL
DECLASSIFY ON: 25X (1)(6)
(SFC) 11/13/97

SUBJECT: JUSTIFICATION FOR CONTINUATION OF TECHNICAL OR MICROPHONE SURVEILLANCE

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED EXCEPT
WHERE SHOWN OTHERWISE.

RE: Title **GABRIEL MANNARINO, aka. ;
SAMUEL MANNARINO, aka.**

Character of Case **AR**
Field Office **PITTSBURGH**
Symbol Number **PG 713-C*** ~~CONF. INFT.~~
Type of Surveillance: (Technical or Microphone) **Pa.**

~~1-13-95~~
~~Classified by SP4 MacFate~~
~~Declassify on: OADR (SFC)~~

- Name of person or organization on whom surveillance placed:
GABRIEL MANNARINO and SAMUEL MANNARINO, alleged members of La Cosa Nostra
- Address where installation made. Also give exact room number or area covered:
**Ken Iron and Steel Company
1263 Third Avenue, New Kensington, Pa.
Private Office of SAMUEL MANNARINO**
- Location of monitoring plant:
Pittsburgh Office Consolidated Plant, at Pittsburgh [FBI Office] 450 Union Trust Building, [Fifth Avenue and Grant Street, Pittsburgh, Pa.]
- Dates of initial authorization and installation:
**Authorization 3/2/64
Installation 3/6/64**
- Previous and other installations on the same subject (with dates and places):
None

- If installation is a technical surveillance, answer following questions:
Not applicable
 - Is a trunk line utilized?
EX - 112
 - Is the surveillance on a switchboard?
REC-17 92-2914-315
 - Is the surveillance on a public coin-operated telephone?
MAY 12 1964

UNRECORDED COPY FILED IN 92-2918

Registered Mail
- Bureau
2-Pittsburgh
TGF/cmc (4)

(Also see note)

~~SECRET~~

1 Xerox copy made in
Voucher-Stat. Section for
Arch. file 5/19/64
DONOHUE
NINE

SPEC. MAIL RM.

DATE: 11-14-2017

SECRET

- d. Is surveillance on a private line or a party line?
- e. If a party line, how many parties?
7. If a microphone surveillance involved, state number of microphones actually used and location of each:
One microphone in west wall of subjects' office near desk.
8. Is the installation part of a tel-mike? If so, give symbol of other side of the combination:
No
9. Specific examples of valuable information obtained since previous report with indication of specific value of each item and the date information received. State what use was made of each item involved: (Add insert pages)
(See insert page)
10. Could above information have been obtained from other sources and by other means?
No
11. Number of live informants (in field division) who cover same subject:
Four - none close enough to subjects to visit office
12. Has security factor changed since installation?
No
13. Any request for the surveillance by outside agency (give name, title and agency):
None
14. Cost of Plant Premises:
 - a. Rental costs for plant premises:
None (costs included in office rental)
 - b. Give total number of other surveillances monitored at same plant.
Two units of a tesur (PG 177-S*) activated 6/6/62.
One unit of a misur (PG 180-S*) activated 8/23/62.
One unit of a misur (PG 622-C*) activated 2/7/61.
One unit of a misur (PG 685-C*) activated 6/14/63.

SECRET - 2 -