

DATE: 11-14-2017

JFK Assassination System  
Identification Form

Date: 5/12/201

---

Agency Information

AGENCY : FBI  
RECORD NUMBER : 124-90103-10055  
RECORD SERIES : HQ  
AGENCY FILE NUMBER : 92-2940-436

---

Document Information

ORIGINATOR : FBI  
FROM : PG  
TO : HQ  
TITLE :  
DATE : 09/28/1964  
PAGES : 7  
SUBJECTS :  
SEBASTIAN JOHN LARocca  
DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT  
CLASSIFICATION : Secret  
RESTRICTIONS : 1B; 1C  
CURRENT STATUS : Redact  
DATE OF LAST REVIEW : 07/31/1998  
OPENING CRITERIA : INDEFINITE  
COMMENTS : MEMO

DATE: 11-14-2017  
FD-143 (Rev. 4-2-63)  
OPTIONAL FORM NO. 10  
MAY 1962 EDITION  
GSA GEN. REG. NO. 27

5010-106

**SECRET**

UNITED STATES GOVERNMENT

# Memorandum

JUNE

TO : DIRECTOR, FBI (Bufile 92-2940 ) DATE: 9/28/64

*Staff*

*[Handwritten signature]*

SAC, PITTSBURGH (92-226-Sub 2)

SUBJECT: JUSTIFICATION FOR CONTINUATION OF TECHNICAL OR MICROPHONE SURVEILLANCE

RE: Title SEBASTIAN JOHN LA ROCCA, aka.

*8/22/91 SP8 MAC/FK/...*  
*# 214,320*  
*Classified by SP6 B2/B/602*  
*Declassify on: OADR 1/12/86*

Character of Case ANTI-RACKETEERING  
Field Office Pittsburgh  
Symbol Number PG 622-C\* *Pa*  
Type of Surveillance: (Technical or Microphone) Microphone (MUTT Installation)

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
EXCEPT WHERE SHOWN  
OTHERWISE

CLASSIFIED BY 5668 SLD/GCL  
DECLASSIFY ON: 25X (1)(6) (JFK) 3/17/98

~~CONF. INFO.~~

- Name of person or organization on whom surveillance placed:  
SEBASTIAN JOHN LA ROCCA, (Owner, North Star Cement Block Company, 12 McCandless Avenue, Pittsburgh, Pa.)
- Address where installation made. Also give exact room number or area covered:  
The Pittsburgh Office of the North Star Cement Block Company, 12 McCandless Avenue, Pittsburgh, Pa.
- Location of monitoring plant:  
Pittsburgh FBI Office, 450 Union Trust Building, Fifth Avenue and Grant Street, Pittsburgh, Pa.
- Dates of initial authorization and installation:  
Initial authorization: 1/26/61  
Installation: 1/30/61 (actually activated on 2/7/61)
- Previous and other installations on the same subject (with dates and places):  
No other installations.

*L*

6. If installation is a technical surveillance, answer following questions:  
(There is no tesur involved in this installation.)

- Is a trunk line utilized? *REC 30 92-2940-436*
- Is the surveillance on a switchboard?
- Is the surveillance on a public coin-operated telephone? *OCT 1 1964*

Registered Mail  
① - Bureau  
1 - Pittsburgh  
RAV/jsk  
(2)

*let Pa  
10-8-64  
8/24/68*

EX 109

**SECRET**

*[Handwritten signatures and stamps]*  
OCT 1 1964  
~~CONF. INFO.~~

PG 92-226-Sub 2

SECRET

- d. Is surveillance on a private line or a party line?
- e. If a party line, how many parties?
7. If a microphone surveillance involved, state number of microphones actually used and location of each:  
One MUTT unit is installed and concealed in the floor space between subject's business office and lavatory.
8. Is the installation part of a tel-mike? If so, give symbol of other side of the combination:  
Not part of a tel-mike.
9. Specific examples of valuable information obtained since previous report with indication of specific value of each item and the date information received. State what use was made of each item involved: (Add insert pages)  
Consult insert pages. All information was utilized for intelligence purposes and appropriate dissemination was made where pertinent.
10. Could above information have been obtained from other sources and by other means?

No

11. Number of live informants (in field division) who cover same subject:  
Two live informants cover LA ROCCA but there are no live informants furnishing information relative to the North Star Cement Block Company.
12. Has security factor changed since installation?

No change

13. Any request for the surveillance by outside agency (give name, title and agency):

No requests made.

14. Cost of Plant Premises:

a. Rental costs for plant premises: None. (costs included in office rental.)

b. Give total number of other surveillances monitored at same plant.

- Two units of a tesur (PG 177-S\*) were activated on 6/6/62.  
One unit of a misur (PG 685-C\*) was activated on 6/14/63.  
One unit of a misur (PG 713-C\*) was activated on 3/6/63.  
One unit of a misur (PG 722-C\*) was activated on 5/15/64.  
One unit of a misur (PG 190-S\*) was activated on 5/19/64.

SECRET