F B I

Date:

Transmit the following in (Type in plain text or code)	
Via (Priority or Method of Mailing)	

PH 92-445-Sub A PH 92-444-Sub A

The necessary equipment is in the possession of the Philadelphia Division. The necessary technical details will be explained to the New York Agent upon his arrival in Philadelphia.

It is contemplated that this installation can be completed within a normal eight-hour work day. The Agent handling will have to be attired in work clothing to present the appearance of a Bell Telephone Company employee.

The identification for the New York Agent is being prepared by the Laboratory and will be forwarded directly to the Philadelphia Division.

Upon receipt of the identification cards, the New York Division will be notified. The New York Division will then notify the Philadelphia Division when either Agent FLEMING or Agent RYAN will be available for the instant installation.

It will be of interest to these Agents to note that there will not have to be any wiring; that the installation will consist only of installing a mate to a "spare pair" available at the interested locations, which, thereafter, will have to be connected in the main frame of the phone service in the basement of instant company so that they can be brought to the central office.

Bureau will be kept advised of the progress of the installation.

FROHBOSE

- 2 .

		Sent	M	Per	
Approved:			. Harisela Akari		2819 (1869); A
လူများကျော်တောင် ပြိမ်များ Spe	cial Agent in Charg	je nekolony, na j	병원 회사 선생님 회사 회사 기계		

Airtel

To: SAC, Philadelphia (92-445 Sub A) (92-444 Sub A)

JUNE

ORIGINAL COPY FILED IN

From: Director, FBI (92-2790) (92-2717)

ANTONIO POLLINA, aka AR

Reurairtel to Director 8-11-60, requesting authorization for installation of MISUR at Maggio Cheese Company, Philadelphia, Pennsylvania, where Top Hoodlums of Philadelphia Office carry on activities. Referenced airtel requested that Sound-Trained Agent from neighboring field division be assigned to make MATE installation since all Philadelphia Sound-Trained Agents might be recognized by subjects due to activities on previous criminal investigations. Buairtel 8-31-60, to Philadelphia Office authorized installation.

Philadelphia Office is authorized to use the services of New York Sound-Trained Agent Gerald P. Ryan for this installation. In event Ryan is unavailable for any reason New York Agent John G. Fleming is designated as alternate. Proper telephone company identification cards for Ryan and Fleming are being prepared in Laboratory and will be forwarded to Philadelphia Office in near future.

Philadelphia should make all necessary arrangements with New York, making certain that New York Agent is fully informed of background information. All equipment should be obtained and details of installation worked out in advance so that New York Agent's time in Philadelphia will be held to minimum.

Philadelphia should advise Bureau of progress of installation.

٠.		SEP 16 11 46 AH 250
	Tolson	
	Parsons	New York of the 5 its left .20
:	Belmont	Attentions Mr. Loggott)
	Callahan	4 Mm. Rosen (Attention: Mr. Leggett)
	Malone	4 WM
Ć.	McGuire	JMM:pcc (10) MAILED 25
į,	Nosen	
,	Tamm	SEP 1 6 1960
	W.C. Sullivan	
Š	Tele.Room	COMM-FBI OM W
	Ingrain	TELETYPE UNIT
ſ	3	
٦		신청하는 사람들은 사람들은 어느 가는 사람들은 이 나는 사람들이 가장 아니는 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은

		FBI	
		Date: 9/14/60	
Tran	asmit the following in	PLAIN TEXT (Type in plain text or code)	
eri di Ma		REGISTERED MAIL	
Via	ATRTEL	(Priority or Method of Mailing)	
			-
	TO:	DIRECTOR, FBI (92-2790) (92-2717)	
	FROM:	SAC, PHILADELPHIA (92-445 Sub A) (92-444 Sub A)	
		JUNE	ì
	SUBJECT:	ANTONIO POLLINA, aka ANGELO BRUND	1
	airtel to	Re BUairtel to Philadelphia 9/12/60, and Philadelphia Bureau 9/6/60, captioned as above.	
	practice 44 A bloc	and the control of t	4
	pointed definited block.	Philadelphia, in referenced airtel to the Bureau, out that the telephone contact of the Division stated by that the stations are wired with a 42 A connecting	(
	the telepusually	on 9/14/60, under suitable pretext, SA J. ROBERT attered the Maggio Cheese Company and observed that bhone service terminated in metal covers of the kind ased in installations of automatic equipment which 44 A connector blocks.	0
	company	contact advised as follows:	
	was of t used at	The telephone servicing at the Maggio Cheese Company he type where there are three 44 A connector blocks each station. The contact requestioned the company au (92-2790) (Registered Mail)	
200 P	1,00	au (92-2790) (Registered Mail) (92-2717) adelphia (92-445 Sub A) NOT AFFORDED (92-444 Sub A) 167 SEP 26 1960	
, v	(5)	The state of the s	

NW 45737 DocId:32560416 Page 4

Special Agent in Charge

Approved: .

PH 92=445 Sub A 92-444 Sub A

employee who recently did additional wiring at the Maggio Company and ascertained that the stations are wired in a non-standard wiring procedure in that there were two 44 A connector blocks utilized and one space is available where a 42 A connector block can be installed. To be explicit, there are only two 44 A connector blocks at each station and there is room for three 44 A connector blocks at each station. There is a vacant space which can be used for installation of a 42 A and the contact believes this can be done without arousing any suspicion as all installation would be covered with standard company metal cover used at automatic equipment stations. The blue black spaces mentioned previously are loose at each interested station.

FROHBOSE

ORIGINAL COPY FILED IN 92 - 2 7 90-33

Airtel

92-2717-

To:

SAC, Philadelphia (92-445 Sub A) (92-444 Sub A)

From: Director, FBI (92-2790) (92-2717)

JUNE

ANTONIO POLLINA, aka

AR

Reurairtel 9-6-60, providing details concerning proposed installation of MISUR at Maggio Cheese Company.

You indicate each station is wired with 12-pair cable and also provided with a 42A terminal block. Standard company practice would not terminate in 42A's, but in at least three 44A blocks (each 44A has 10 terminals). Non-standard termination of 12-pair cable in two 44A's and one 42A is possible. Advise Laboratory if telephone contact used non-standard wiring to provide 42A at each station. Do not plan on using altered 44A block (with microphone and amplifier concealed in it) since no such unit is available.

†тт JMM:pcc (9)

1 - Mr. Rosen (Attention: Mr. Leggett)

MAILED 25

Tolson SEP 1 2 1960

Mohr COMM-FBI

Parsons COMM-FBI

Callahan DeLoach

Malone McGuire

Rosen Tamm

Trotter

W.C. Sullivan

Tele. Room Ingram

Gandy SEP 22 1960

motor (

PH 92-445 Sub A PH 92-444 Sub A

These blue-black pairs are wired so to avoid any spare. automatic equipment and appear only at the stations and at the house box located in the cellar of the building. the house box there are only two pairs available for service to bring the installation out. These pairs are tagged to be readily identified. The telephone contact of the division states definitely that the stations are wired with a 42A connecting block which is suitable for a "mate" installation. A drawing is in the possession of Philadelphia showing the locations of each station. The installations will be made in two of the three private offices in the front of the building where it is known that captioned subject, as well as Philadelphia top hoodlum ANGELO BRUNO, has in the past conducted business. The telephone service at this company will have to have trouble appear to allow a suitable pretext for entry of the sound man. It is contemplated that no more than eight hours will be necessary for this installation.

Enclosed herewith is the telephone identification card of SA J. ROBERT PEARCE which can be used by the Laboratory to make a suitable copy for the sound agent who is to make this installation. It is requested that SA PEARCE's identification be returned to him at the earliest possible time and that identification for the agent who is making this installation be laminated.

FROHBOSE