INACTIVE - ALL ITEMS SUPERSEDED OR OBSOLETE

Schedule Number: N1-305-03-002

All items in this schedule are inactive. Items are either obsolete or have been superseded by newer NARA approved records schedules.

Description:

The SF-115 cover page for N1-305-07-001 states, "This schedule supersedes all existing BPA schedules and cancels all pending BPA schedule jobs currently with the National Archives and Records Administration. All the existing 1153 items in the BPA retention manual are cross walked to the new large aggregation schedule and the crosswalk is attached." Use the agency manual numbers in the N1-305-07-001 crosswalk to identify the new item superseding items in this schedule.

Date Reported: 11/01/2022 N1-305-03-002

REQUEST	REQUEST FOR RECORDS DISPOSITION AUTHORITY				UMBER 11-305-0	3- 1
To: NATIO	NIAI AE	RCHIVES & RECORDS	A DMINISTRATION		eceived	<u> </u>
			ARK, MD 20740-6001		5-29-20	03
1. FROM (Ager	ncy or esta				NOTIFICATION	
2. MAJOR SUE	BDIVISION	<u></u>		In accord	dance with the provisi	ons of 44 U.S.C. 3303a, the
Information	Systen	ns		disposition	on request, including	amendments, is approved be marked "disposition not
Information Services				d" or "withdrawn" in co		
4. NAME OF PE	RSON WI	TH WHOM TO CONFER	5. TELEPHONE NUMBER 503-230-5456	DATE	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	OF THE UNITED STATES
Mary Rose Kerg			8-2	8-0-2 KIOVA	JY). CXI	
records pro needed afte	ertify that posed for the response of Title 8	at I am authorized to act or disposal on the attached etention periods specifi	ct for this agency in matters per ed10 page(s) are not need ied; and that written concurren or Guidance of Federal Agencies,	led now f	or the business for	this agency or will not be unting Office, under the
DATE		SIGNATURE OF AGENC	CY REPRESENTATIVE		TITLE	
May 22, 2003		many chas			Records Officer	
7. ITEM NO.	8. 1	7	AND PROPOSED DISPOSITION	SU	9. GRS OR PERSEDED JOB CITATION	10. ACTION TAKEN (NARA USE ONLY)
	Attach	ment 1.				
	retentic approx BPA R Attach The sta Word I final its Record	on schedule change ved file codes in the lecords Manual. ment 2. andard language ab Processing System (ge table with proposed es for various already NARA Operations chapter to the out Electronic Mail and Copies as it appears in the s chapter of the BPA			
	it perta busine	ains to Bonneville Po	"Superseded/Obsolete" as ower Administration			

atachuet 1

Changes to Operations (OP) for NARA approval

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-11-14	Standing Orders Dispatcher guides for special operating conditions.	SF 115 NI-305-88-1 approved July 14, 1989	Change retention from: Superseded to In Office: Until superseded. Records Storage: 10 years and then destroy.	The superseded version needs to be kept 10 years for reference and in case of inquiry.
OP-12	Outages Procedures and records for equipment outages required by coordination through BPA outage dispatcher as outlined in BPA Reliability Criteria and Northwest Power Pool (NWPP) Operating Manual.	SF 115 NI-305-88-1 approved July 14, 1989	Change retention from: Superseded to In Office: 3 years and then destroy.	Records need to be kept longer than superseded, for reference in case of inquiries.
OP-12-11	Planned Outages Computer-generated reports.	SF 115 N1-305-88-1 approved July 14, 1989	Change retention from: Superseded to In Office: 3 years, and then destroy.	Client determined that an exact timeframe of 3 years is more specific.
OP-12-12	Requirements for Outages	SF 115 N1-305-88-1 approved July 14, 1989	Change retention from: Superseded to In Office: 3 years, and then destroy.	Client determined that an exact timeframe of 3 years is more specific.

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-13	Operation of Interties and Interconnections Material relating to operating interties and interconnections. File alphabetically by line name. See also ED-14, Interties, and RP-15, Planning for Interties and Interconnections.	SF 115 N1-305-88-1 approved July 14, 1989	Change retention from: Active + 1 year to In Office: Active + 3 years, and then destroy.	Active + 1 year is not long enough. Active + 3 years is more appropriate.
OP-16	Stability Control Schemes Also known as Remedial Action Scheme and Special Protection Schemes by Western Energy Coordinating Council (WECC) and North American Electric Reliability Council (NERC). The schemes control dynamic energy imbalances when sudden changes in generation or transmission separations occur. See also ED-24, Remedial Action Schemes and Control Systems.	SF 115 N1-305-88-1 approved July 14, 1989	Change retention from: Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.

OP-16-11 Under-Frequency Load Shed/Load Dropping A NWPP-coordinated program. Includes Area correspondence to identify customer load to drop. OP-16-12 Import Contingency Load Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial Load Drop Material relating to manual load drop due to inadequate system reserves. OP-16-14 Pacific Intertie Stability Control Schemes OP-16-15 Open Loop Operation Variation of OP-16-14 of operations when 500-kV system is open in Los Angelets Signaling System Alexand Prop Spinaling System Approved July 14, 1989 An Office: Superseded to Change from Superseded to Signaling System Approved July 14, 1989 Approved July	File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
Under-Frequency Load Shed/Load Dropping A NWPP-coordinated program. Includes Area correspondence to identify customer load to drop. Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial load. SF 115 N1-305-88-1 Trip Scheme Material relating to Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes SF 115 N1-305-88-1 Change from Superseded to pproved July 14, 1989 In Office: Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Diffice: Superseded to pears, and then destroy.					
Shed/Load Dropping A NWPP-coordinated program. Includes Area correspondence to identify customer load to drop. Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial load. Industrial Load Drop Signaling System System reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for direct current (DC) intertic operations when 500-kV system is open in Los Angeles Na NWPP-coordinated approved July 14, 1989 In Office: Superseded to approved July 14, 1989 In Office: Superseded to proved July 14, 1989 In Office: Superseded	OP-16-11	Under-Frequency Load	115	Change from Superseded to	The client advised that these
A NWPP-coordinated program. Includes Area correspondence to identify customer load to drop. Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial load. Industrial Load Drop Signaling System system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles Includes Area proved July 14, 1989 In Office: Superseded to years, and then destroy. Change from Superseded to proved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to paproved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to paproved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to paproved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to paproved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy.		Shed/Load Dropping	approved July 14, 1989		records are important and
program. Includes Area correspondence to identify customer load to drop. Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertic Stability Control Schemes Open Loop Operation Variation of OP-16-14 for direct current (DC) intertic operations when 500-kV system is open in Los Angeles Variation of Open Loop Operation of Open Loop Operation Superseded to Area of the new destroy. Variation of Open Loop Operation of Open Loop Operation of Open Loop Operation Superseded to Area operation of Open Loop Operation Superseded to Open Loop Open In Los Angeles Variation of Open Loop Operation Superseded to Open Loop Open In Los Angeles		A NWPP-coordinated	,	In Office: Superseded + 5	should be kept for an
correspondence to identify customer load to drop. Import Contingency Load Trip Scheme Material relating to AC intertic import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertic Stability Control Schemes Pacific Intertic Stability Control Schemes Open Loop Operation Variation of OP-16-14 for direct current (DC) intertic operations when 500-kV system is open in Los Angeles Material relating to Material relating to manual load drop due to inadequate system SF 115 N1-305-88-1 Approved July 14, 1989 In Office: Superseded to paproved July 14, 1989		program. Includes Area		years, and then destroy.	additional five years after they
Import Contingency Load Import Contingency Load Trip Scheme Material relating to AC intertie import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles Change from Superseded to approved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to years, and then destroy.		correspondence to identify			become superseded.
Import Contingency Load Trip Scheme Material relating to AC intertie import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles AC intertie Stability approved July 14, 1989 operations when 500-kV system is open in Los Angeles SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded to paperseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded to paperseded to paperseded to approved July 14, 1989 of then destroy. SF 115 N1-305-88-1 Change from Superseded to paperseded		customer load to drop.			
Trip Scheme Material relating to AC intertie import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles AC intertie approved July 14, 1989 In Office: Superseded to years, and then destroy. Change from Superseded to Propho Operation SF 115 N1-305-88-1 Approved July 14, 1989 Change from Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Superseded to Propho Operation Approved July 14, 1989 In Office: Su	OP-16-12	Import Contingency Load	115	Change from Superseded to	The client advised that these
In Office: Superseded + 5 pears, and then destroy. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles In Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy. SF 115 N1-305-88-1 Office: Superseded + 5 pears, and then destroy.		Trip Scheme	approved July 14, 1989		records are important and
import stability conditions and trips industrial load. Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles Vears, and then destroy. Vears, and then destroy. Vears, and then destroy. SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. Vears, and then destroy.		Material relating to AC intertie		In Office: Superseded + 5	should be kept for an
Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles Trips industrial load. SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to paproved July 14, 1989 In Office: Superseded + 5 years, and then destroy.		import stability conditions and		years, and then destroy.	additional five years after they
Industrial Load Drop Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded to peration of OP-16-14 for operations when 500-kV system is open in Los Angeles SF 115 N1-305-88-1 Change from Superseded to peration SF 115 N1-305-88-1 Change from Superseded to peration SF 115 N1-305-88-1 The control Schemes open in Los Angeles SF 115 N1-305-88-1 The control Superseded to peration Superseded to peration Superseded to peration Superseded to peration of OP-16-14 for operations when 500-kV system is open in Los Angeles		trips industrial load.			become superseded.
Signaling System Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles Signaling System approved July 14, 1989 In Office: Superseded to approved July 14, 1989 In Office: Superseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to paperseded to approved July 14, 1989 In Office: Superseded to paperseded to papersed	OP-16-13	Industrial Load Drop	SF 115 N1-305-88-1	Change from Superseded to	The client advised that these
Material relating to manual load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes Open Loop Operation Variation of OP-16-14 for operations when 500-kV system is open in Los Angeles Open Loop Operation SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded to years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded to years, and then destroy.		Signaling System	approved July 14, 1989		records are important and
load drop due to inadequate system reserves. Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. System is open in Los Angeles		Material relating to manual		In Office: Superseded + 5	should be kept for an
Pacific Intertie Stability Control Schemes Pacific Intertie Stability Control Schemes SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles Pacific Intertie Stability SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. years, and then destroy.		load drop due to inadequate		years, and then destroy.	additional five years after they
Pacific Intertie Stability Control Schemes SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles SF 115 N1-305-88-1 In Office: Superseded to years, and then destroy. years, and then destroy.		system reserves.			become superseded.
Control Schemes approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles approved July 14, 1989 In Office: Superseded + 5 years, and then destroy. years, and then destroy.	OP-16-14	Pacific Intertie Stability	SF 115 N1-305-88-1	Change from Superseded to	The client advised that these
Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles In Office: Superseded + 5 years, and then destroy.		Control Schemes	approved July 14, 1989		records are important and
Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles years, and then destroy. SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy.				In Office: Superseded + 5	should be kept for an
Open Loop Operation Variation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angeles SF 115 N1-305-88-1 Change from Superseded to approved July 14, 1989 In Office: Superseded + 5 years, and then destroy.				years, and then destroy.	additional five years after they
Open Loop OperationSF 115 N1-305-88-1Change from Superseded toVariation of OP-16-14 for direct current (DC) intertie operations when 500-kV system is open in Los Angelesapproved July 14, 1989 					become superseded.
approved July 14, 1989 In Office: Superseded + 5 years, and then destroy.	OP-16-15	Open Loop Operation	115	Change from Superseded to	The client advised that these
In Office: Superseded + 5 years, and then destroy.		Variation of OP-16-14 for	approved July 14, 1989		records are important and
eles years, and then destroy.		direct current (DC) intertie		In Office: Superseded + 5	should be kept for an
ngeles		operations when 500-kV		years, and then destroy.	additional five years after they
		system is open in Los Angeles			become superseded.

w

	area.			
File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-16-16	Stability Control Intertie Monitor Variation of OP-16-14 for stability control intertie monitor (SCIM); new controller to replace Grizzly Substation control/logic scheme.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-17	Generator Dropping—Libby Substation Material relating to local controls for special stability problems	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-18	Boundary & BC Hydro Schemes Material relating to controls to maximize Seattle City Light (SCL) Boundary generation on three Boundary Bell 230 kV lines.	SF 115 N1 305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-16-19	Chief Joseph Brake Material relating to several special conditions which require mitigation of more complex controls.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-20	Lower Snake/Grand Coulee Line Loss Schemes Material relating to local controls to prevent instability for multiple contingencies.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-21	Colstrip Integration Control Scheme Material relating to transmission and generation constraints to maximize Colstrip transfers.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-22	Bellingham Area Load Trip Scheme Material relating to the Bellingham area load trip scheme (BALTS); local scheme to account for contingencies in Canada and PSPL line outages.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-16-23	Puget Sound Voltage Stability Control Scheme Material relating to the control scheme to prevent voltage collapse in the Puget Sound Area.	SF 115 N1-305-94-1 approved October 24, 1994	Change from Superseded to In Office: Supersedede+ 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-16-24	Under-Voltage Loadshedding Material relating to relays set to trip load when voltage goes below set points.	SF 115 N1-305-94-1 approved October 24, 1994	Change from Superseded to In Office: Supersedede+ 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-17	System Restoration A plan to restore service after local or regional blackouts	SF 115 N1-305-88-1 approved July 15, 1989	Change from Superseded to In Office: Supersedede+ 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-17-11	Remote Synchronization Scheme Material relating to aid to quickly synchronize islanded area via Supervisory Control and Data Acquisition (SCADA).	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Supersedede+ 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.


File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-17-12	Dead Bus Clearing Scheme Material relating to aid to quickly clear a transmission path between generation and load via SCADA.	SF 115 N1-305-88-1 approved July 14, 1989.	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records are important and should be kept for an additional five years after they become superseded.
OP-18	Substations Material relating to operation of each substation.	SF 115 N1-305-88-1 approved July 14, 1989	Retention was Active + 1 year In Office: Active + 5 years, and then destroy.	The client determined that Active + 1 year is not adequate. Active + 5 years is more appropriate.
OP-18-12	Small Generation Resources Material relating to integration into BPA substations.	SF 115 N1-305-88-1 approved July 14, 1989	Retention was Active + 1 year In Office: Active + 5 years, and then destroy.	The client determined that Active + 1 year is not adequate. Active + 5 years is more appropriate.
OP-20-11	Capacitors Material relating to rating needs for various voltage applications.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client advised that these records need to be kept for an additional five years after they become superseded.
OP-20-21	WILSWA Voltage Stability Material relating to the Willamette Valley, Oregon/southwest Washington area's voltage stability.	SF 115 NI-305-88-1 Approved October 24, 1994	Change retention from 5 years to In Office: Active + 10 years and then destroy.	The client determined that five years in this case is not an adequate retention but Active + 10 years is sufficient.

OP Changes to NARA.doc 7 5/20/2003

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-22-19	Telemetry Alternate Route Requirements Material relating to alternate route requirements for telemetry	SF 115 N1-305-94-1 approved October 24, 1994	Change retention from In Office: 10 years to In Office: Active + 5 years, and then destroy.	The client advises that a 10–year retention is excessive. Active + 5 years is more appropriate.
OP-22-20	Mid-Columbia Coordination Material relating to an agreement with non-Federal dams owning entities to maximize water-use efficiency in the mid-Columbia River area.	SF 115 N1-305-94-1 approved October 24, 1994		The client advises that a 10-year retention is excessive. Active + 5 years is more appropriate.
OP-22-22	AGC at Munroe Control Center Material relating to the AGC at Munroe Control Center.	SF 115 NI-305-94-1 approved October 24, 1994.	Change retention from In Office: 10 years to In Office: Active + 5 years and then destroy.	The client advises that a 10–year retention is excessive. Active + 5 years is more appropriate.
OP-24	Meter, Relay, and Metering Requirements and use of these systems for engineering, operations, and maintenance programs.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client determined that these records should be kept five years after they have bee superseded.

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-25-17	Sequence of Events Monitor/Recorder Records that show centrally the events of local and regional disturbances. Includes requirements and alarm standards. Also known as SEMM/SUDS/SER.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Active + 5 years, and then destroy.	The client determined that these records should be kept five years after they have been superseded.
OP-25-19	Powerhouse Response Test Guides for minimum performance and procedures for conducting tests.	SF 115 N1-305-88-1 approved July 14, 1989	Change from Superseded to In Office: Superseded + 5 years, and then destroy.	The client determined that these records should be kept five years after they have been superseded.
OP-25-22	Fault Locator Acquisition Recorder Material relating to user requirements and display features of the fault locator acquisition records (FLAR). See also OP-25-17, Sequence of Events Monitor/Recorder.	SF 115 N1-305-88-1 approved July 14, 1989	Change retention from In Office: 7 years to In Office: Active + 5 years and then destroy.	A retention of Active + 5 years is more specific.
OP-27-18	SCADA Backup for Emergencies Material relating to communication, RTU, and central site requirements.	SF 115 N1-305-95-2 approved June 13, 1996	Change retention from In Office: A + 2 years to In Office: 7 years, and then destroy.	The client advised that these records need to be kept for 7 years.

File Code	Existing Title and Description	NARA Job Number	Proposed Change	Justification
OP-31	Reliability Material relating to reliability issues connected with operation of BPA's transmission system. See also ED-23, System Reliability Criteria, and OP-26-15, RODS Performance.	SF 115 N1-305-94-1 approved October 24, 1994	Change retention from In Office: 10 years to In Office: Active + 5 years, and then destroy.	Client advises that 10 years is excessive. Active + 5 years is more appropriate.
OP-31-11	Reliability Operating Plan Material relating to control centers' plans that meets long- term system reliability needs.	SF 115 NI-305-94-1 Approved October 24, 1994	Change retention from In Office: 10 years to In Office: Active + 5 years, and then destroy.	Client advises that 10 years is excessive. Activee+ 5 years is more appropriate.



810

CODE

FILE GUIDE AND RETENTION SCHEDULE: OPERATIONS

FILE RECORDS SERIES, TITLE, DESCRIPTION, & DISPOSITION

OFFICE OF RECORD/ORIGIN

Page: 810/OP 31 of 31

Last Revision Date: January 15, 2003

Electronic Mail and Word Processing System Copies

Electronic copies of records that are created on electronic systems and used solely to generate a recordkeeping copy of the records covered by the other items in this schedule. Also includes electronic copies of records created on electronic mail and word processing systems that are maintained for updating, revision, or dissemination.

- (a) Copies that have no further administrative value after the recordkeeping copy is made.
 - 1. Copies maintained by individuals in personal files or other personal directories on hard disk or network drives, and copies on shared network drives that are used only to produce the recordkeeping copy.

Destroy/delete within 180 days after the recordkeeping copy has been produced.

2. Copies maintained by individuals in personal electronic mail systems.

Electronic mail will be destroyed automatically when 90 days old.

(b) Copies used for dissemination, revision, or updating that are maintained in addition to the recordkeeping copy.

Destroy/delete when dissemination, revision, or updating is completed.

Attachment 3

BPA's definitions for "Active" and "Superseded/Obsolete"

A - Active:

- 🖎 Current year (fiscal or calendar); or
- Life of equipment; or
- Period prior to final payment of a contract; or
- Period prior to close or final report of a case; or
- Period before completion of a project.
- On separation or transfer of employee.
- Until regularly scheduled audit occurs.
- Useful life of an engineering drawing.

\boldsymbol{S} - Superseded/Obsolete:

- Material becomes outdated as related new material is developed; or
- New material replaces or revokes old material; or
- Material no longer of use or no longer needed by BPA; or
- Material about such issues as equipment, projects, and programs that are discontinued or canceled; or
- Material about outmoded equipment, technology or procedures; or
- Material about terminated committees or activities.