INACTIVE - ALL ITEMS SUPERSEDED OR OBSOLETE

Schedule Number: NC1-142-80-01

All items in this schedule are inactive. Items are either obsolete or have been superseded by newer NARA approved records schedules.

Description:

Superseded by NC1-142-82-02.

Date Reported: 07/28/2022 NC1-142-80-01

INACTIVE - ALL ITEMS SUPERSEDED OR OBSOLETE

Rud NCD 25CM79Mg

, REC	QUEST FOR RECORD ISPOSITION A	LEAVE BLANK			
	(See Instructions on reverse)		JOB NO 3	4	
	1		NC1-142-80-1		
TO GENER	AL SERVICES ADMINISTRATION,				
	L ARCHIVES AND RECORDS SERVICE, WASHINGTON,	, DC 20408	DATE RECEIVED		
	ENCY OR ESTABLISHMENT) EE VALLEY AUTHORITY		10-25-79	*···	
2 MAJOR SUE				ATION TO AGEN	
	OF POWER		In accordance with the prov quest, including amendment	ts. is approved except	for items that may
3 MINOR SUE	···-		be stamped "disposal not	approved" or "withdr	awn" in column 10
	RIVER BREEDER REACTOR PROJECT	T		VIII M	1/1 2
	PERSON WITH WHOM TO CONFER	5 TEL EXT	7-1-80 /	Melloffx	Hendle
	E. BREWER E OF AGENCY REPRESENTATIVE	FTS 854-3351	Date acting	Archivist of the	United States
that the this age	r certify that I am authorized to act for this age records proposed for disposal in this Requerency or will not be needed after the retention proposed. Request for disposal after a specific proposal.	est of page periods specified.	(s) are not now ne	eded for the t	ousiness of
C DATE	D. SIGNATURE OF AGENCY REPRESENTATIVE	E. TITLE			
10/17/70	I se R				
10/17/79	Toruld E. Venler	Assistant	TVA Archivist		
ITEM NO	8. DESCRIPTION (With Inclusive Dates or R			9. SAMPLE OR JOB NO	10. ACTION TAKEN
1.	Quality Records for the Clince Plant (CRBRP) Project: Request Permanent—Records on Microfil Records. The Clinch River Breeder Reactists a joint undertaking of the and the nuclear industry of the construct, and operate a Lique Reactor (LMFBR) power plant of Authority (TVA) system in Oak Plant will be licensed by the Commission under the provision Reorganization Act of 1974. Will result in many documents in Project management and to ment. Some of these document quality of the Plant, its confecting quality. These document and maintained as quality records management system. I records management system. I records system that all records	t for Authorit m and Dispose tor Plant (CRB United States the United States of the Tennesse Nuclear Regulation of the Ener Execution of the Ener Execution of the Ener to the Ingulate of the Ener to	y to Preserve of Original RP) Project Government es to design, Breeder e Valley see. The atory gy he Project d to assist accomplish- to the to activities collected mplish this t has ide quality uality	71 / tem	5

Request f	or Records Disposition Authority – Continuation	JOB NO	*	PAGE OF 2 9
7. ITEM NO	8 DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)		9 SAMPLE OR JOB NO	10 ACTION TAKEN
	quality will be microfilmed and indexed. Followi the microfilming, indexing, and verification proces it is requested of GSA/NARS that authorization be ted to dispose of the hard copy quality records so days after accurate, readable, archival quality mat the GSA/NARS facility at East Point, Georgia.	ess, gran- ixty nicrofor	m	
	Certification: In accordance with the records disposition requirements of Federal Property Managements (FPMR), Section 101-11. 506, this docertifies that the records described on this form be microfilmed in accordance with the standards in 41 CFR 101-11-506-3 and that the silver original microfilm plus one positive copy of each microfi is a diazo microfilm copy, shall be placed in the Records Center, East Point, Georgia. The despositives microfilmed records with the Federal Record Center shall be done in accordance with all required FPMR, Section 101-11-509.	ocument n shall set fort l lm,which Federal it of	1	
7	A complete working file of silver and/or diazo monopies of all quality records is maintained at the CRBRP Project Records Center, Oak Ridge, Tennesse All routine requests for record copies are to be referred to this Center in order that the retries load will not be placed on the NARS East Point face	ne ee. val	n	
	The following paragraphs explain further the cirstances of this request and describe extensively records to be dispositioned.	cum- the		
	This disposition request includes only quali records, that is records pertaining to the t quality of the CRBR Plant and to activities affecting quality. These are documents which not covered by the Federal Records Schedules documents are created by design engineers and cognizant technical professionals who create documents to describe configuration of the P to describe items that are manufactured for Plant, and to describe other quality related procedures and practices. An estimated 40 m pages of this documentation will be created the design, procurement, manufacturing, inst construction, and pre-operational and start-phases of the CRBRP Project. All of this dotation is available to the US Nuclear Regula	echnica h are . The d other the lant, the illion during allatio up cumen-		

Commission upon their request. However, only the Safety Analysis Report and Quality Assurance Manuals and procedures are submitted to the NRC on a regular basis. Virtually, all of the quality assurance documents are duplicated and distributed to the various Project participating organizations. As noted above, a complete working file of the records is maintained at the CRBRP Quality Records Center, Oak Ridge, Tennessee. The general requirements and guidelines for the collection, storage, and maintenance of these quality assurance records, in either hard copy or microform, are described in the following federal Regulations and standards which are closely adhered to by the participants in the CRBRP Project: 10 CFR 50, Appendix B, Quality Assurance Criteria for Nuclear Power Plants and Fuel Processing Plants. U.S. Nuclear Regulatory Commission Regulatory Guide 1.88, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records. ANSI/ASME N45.2.9-1974, an American National Standard, Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped	Request for R	ecords Disposition Authority – Continuation	JOB INO		PAGE OF 3
Safety Analysis Report and Quality Assurance Manuals and procedures are submitted to the NRC on a regular basis. Virtually, all of the quality assurance documents are duplicated and distributed to the various Project participating organizations. As noted above, a complete working file of the records is maintained at the CRBRP Quality Records Center, Oak Ridge, Tennessee. The general requirements and guidelines for the collection, storage, and maintenance of these quality assurance records, in either hard copy or microform, are described in the following Federal Regulations and standards which are closely adhered to by the participants in the CRBRP Project: 10 CFR 50, Appendix B, Quality Assurance Criteria for Nuclear Power Plants and Fuel Processing Plants. U.S. Nuclear Regulatory Commission Regulatory Guide 1.88, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records. ANSI/ASME N45.2.9-1974, an American National Standard, Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped				SAMPLE OR	10 ACTION TAKEN
collection, storage, and maintenance of these quality assurance records, in either hard copy or microform, are described in the following Federal Regulations and standards which are closely adhered to by the participants in the CRBRP Project: 10 CFR 50, Appendix B, Quality Assurance Criteria for Nuclear Power Plants and Fuel Processing Plants. U.S. Nuclear Regulatory Commission Regulatory Guide 1.88, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records. ANSI/ASME N45.2.9-1974, an American National Standard, Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. D. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped		Safety Analysis Report and Quality Assurance and procedures are submitted to the NRC on a basis. Virtually, all of the quality assuran documents are duplicated and distributed to t various Project participating organizations. noted above, a complete working file of the r is maintained at the CRBRP Quality Records Ce	Manuals regular ce he As ecords		
U.S. Nuclear Regulatory Commission Regulatory Guide 1.88, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records. ANSI/ASME N45.2.9-1974, an American National Standard, Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. D. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped		collection, storage, and maintenance of these quality assurance records, in either hard copmicroform, are described in the following Fed Regulations and standards which are closely	y or eral		
1.88, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records. ANSI/ASME N45.2.9-1974, an American National Standard, Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. 1. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped		10 CFR 50, Appendix B, Quality Assurance Crit for Nuclear Power Plants and Fuel Processing	eria Plants.		
Requirements for Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants. It is requested that the microforms for the documentation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped		1.88, Collection, Storage, and Maintenance of	: -		
tation described in this request be retained in storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, which is estimated to be 40 years. As noted above, authority is required to destroy paper records 60 days after the silver original microfilm is deposited for security storage with NARS. No hard copy records will be destroyed until it is ascertained that reproduced copies have been made in accordance with GSA regulations and are archival quality substitutes for the hard copy records. It is suggested that the retention of hard copy records beyond this process point would not serve a useful purpose. However, if requested by NARS, these hard copy records as well as microform copies can be shipped		Requirements for Collection, Storage, and Mai	ntenanc	e	
that may be deemed necessary.		tation described in this request be retained storage at the GSA/NARS facility, East Point, Georgia, for the life of the nuclear plant, was estimated to be 40 years. As noted above, authority is required to destroy paper record days after the silver original microfilm is of for security storage with NARS. No hard copy will be destroyed until it is ascertained that reproduced copies have been made in accordance GSA regulations and are archival quality substore the hard copy records. It is suggested the retention of hard copy records beyond this process point would not serve a useful purpose However, if requested by NARS, these hard copy records as well as microform copies can be sto the GSA/NARS facility, for whatever purpose that may be deemed necessary.	in hich ls 60 leposite record te with titutes hat s e. ly lipped	d s	
[disposition instructions are on productions]		[disposition instructions are on	10		

Request for I	Records Disposition Authority – Continuation	JOB, NO	L.	PAGE OF
7 ITEM NO	DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)	,	9. SAMPLE OR JOB NO	10 ACTION TAKEN
	Five series of technical documentation are included in this request:			
	(1) Design Records, (2) Procurement Records, (3) Manufacturing Records, (4) Installation-Construction Records and (5) Pre-operational a Start-up Records. Each of these series is desbelow:			
	Series 1.0, DESIGN			
	Applicable Codes and Standards Used in Design Drawings As Constructed Drawings Design Calculationshand Record Checks Design Change Requests Design Deviations Design Procedures and Manuals Design Reports Design Review Reports Design Verification Data Drawings Control Procedures Engineering Reports Master Change Records Purchase and Design Specs and Amendments QA System Audit Reports Reports of Engineering Surveillance of Fiele Activities Requests for Document Change Safety Analysis Report, Preliminary and Fiele Stress Reports Systems Descriptions Systems Process & Instrumentation Diagrams Technical Analysis, Evaluations & Reports Reliability Analysis, Evaluation and Reports	eld inal		
	Series 2.0, PROCUREMENT			
	Audit Reports Procurement Procedures Procurement Specifications Purchase Orders (Unpriced) Including Amend Purchaser's Pre-Award QA Surveys Receiving Records Supplier's QA Program Manuals Supplier's QA Program Indices Preprocurement Plans Procurement Advisory Report (PAR)	dments		
115-203	Four copies, including original, to be submitted to the National Arc	hlvae	STANDAR	FORM 115-A

Request for F	Records Disposition Authority—Continuation	JOB, NO	£.	PAGE OF 5 9
7 ITEM NO	8 DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)		9 SAMPLE OR JOB NO	10 ACTION TAKEN
	Contract Advisory Report (CAR) Purchase Approval Request Letters (PURLs) Customer Approval Letters on PARs Acknowledged Copy of Subcontracts and all Modifications			
	Series 3.0, MANUFACTURING			
	ASME Code Data Reports Applicable Code Data Reports As-Built Drawings and Records As-Constructed Drawings and Records Certificate of Inspection and Test Personn Qualification Reports of Internal and External Audits an All Related Correspondence Equipment Schedules/Lists Failure Reports QA Program Manual, including Index and Applicable Procedures Unusual Occurrence Reports Source Surveillance Data Plans and Reports QA Shipping Releases Pre-Award QA Surveys Certificates of Compliance Cleaning Procedures Eddy-Current Examination Procedures Eddy-Current Examination Final Results Electrical Control Verification Test Resul Ferrite Test Results Forming and Bending Procedure Qualification Heat Treatment Procedures Heat Treatment Records Hot Bending Procedure Inspection and Test Instrumentation and To Calibration Procedures Liquid Penetrant Examination Procedures Liquid Penetrant Examination Final Results Locations of Weld Filler Material Magnetic Particle Examination Procedures Major Defect Repair Procedures and Records Supplier Data Only Material Properties Records Nonconformance Reports Packaging, Receiving, Storage Procedures Performance Test Procedure and Results Rec	ts ns oling		

Request for F	Records Disposition Authority – Continuation	JOB NO	L.	PAGE OF 6 9
7 ITEM NO	8 DESCRIPTION OF ITEM (With inclusive Dates or Retention Periods)		9 SAMPLE OR JOB NO	10 ACTION TAKEN
	Pipe and Fitting Location Reports Pressure Test Procedure Pressure Test Results Product Equipment Calibration Procedures Product Equipment Calibration Records QA System Audit Reports QA Manuals, Procedures and Instructions Radiographic Examination Procedures Radiograph Review Records Ultrasonic Examination Procedures Ultrasonic Examination Final Results Welding Materials Control Procedures Welding Personnel Qualifications Welding Procedure Qualifications and Data Reports Welding Procedures Welding Procedures Welding Procedures			
	Certified Stress Reports (Code Items)			
	Series 4.0, INSTALLATION-CONSTRUCTION			
	4.1 RECEIVING AND STORAGE Inspection Reports for Stored Items Nonconformance Reports Receipt Inspection Reports on Items Receiving, Storage and Inspection Pro Storage Inventory and Issuance Record Vendor Quality Assurance Releases		s	
	4.2 CIVIL			
	Check-Off Sheets for Tendon Installat Concrete Cylinder Test Reports and Ch Concrete Design Mix Reports Concrete Placement Records Inspection Reports for Channel Presson Material Property Reports on Contains Liner and Accessories Material Property Reports on Metal Constallation Shell and Accessories Material Property Reports on Reinford Steel Material Property Reports on Reinford Steel Splice Sleeve Material Material Property Reports on Steel Embedments in Concrete Material Property Reports on Steel Pi	narts ure Tes nent ontainm cing cing		
	Material Property Reports on Structur Steel and Bolting			FORM 145 A

Request for Re	cords Dispos	ition Authority – Continuation	JOB NO	A	PAGE OF 7 9
7. ITEM NO		8 DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)		9 SAMPLE OR JOB NO	ACTION TAKEN
		Material Property Reports on Tendon Fabrication Material Mix Water Chemical Analysis Pile Drive Logs Pile Loading Test Reports Procedure for Containments Vessel P Proof Test and Leak Rate Tests an Results Reports for Periodic Tendon Inspect Reports of High-Strength Bolt Torqu Testing Soil Compaction Test Reports	ressure d ion		
	4.3	WELDING			
		Ferrite Test Procedures Ferrite Test Results Heat Treatment Procedures Heat Treatment Records Liquid Penetrant Test Procedures Liquid Penetrant Test Final Results Magnetic Particle Test Procedures Magnetic Particle Test Final Result Major Weld Repair Procedures and Re Material Property Records Radiographic Test Procedures Radiograph Review Records Ultrasonic Test Procedures Ultrasonic Test Final Results Weld Fit-Up Reports Weld Location Diagrams Weld Procedures Weld Procedures Qualifications and Welding Filler Metal Material Repor Welding Materials Control Procedures Welding Personnel Qualifications	sults Results ts		
	4.4	MECHANICAL			
		Cleaning Procedures and Results Code Data Reports Documentation of System Check-Off (I Data Sheets) Hydro-Test Procedures and Results Installed Lifting and Handling Equip Procedures, Inspection, and Test I Lubrication Procedures	oment		
115-203		Lubrication Records Four copies, including original, to be submitted to the National A		CT44040	FORM 115-A

115-203

Four copies, including original, to be submitted to the National Archives

### DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods) Material Properties Records	t for Reco	PAGE OF 8 9
Pipe and Fitting Location Reports Pipe Hanger and Restraint Data Pressure Test Results Safety Valve Response Test Procedures Valve Inventory and Inspection Records 4.5 ELECTRICAL & I&C Cable Pulling Procedures Cable Pulling Tension Data Cable Separation Data Cable Splicing Procedures Cable Terminating Procedures Certified Cable Test Reports Documentation of Testing Performed After Installation & Prior to Systems Conditional Acceptance Electrical Components - Inspection Reports Field Workmanship Checklists or Equivalent Logs Instrument Calibration Results Relay Test Procedures Report of Pre-Installation Tests Voltage Breakdown Tests Results on Liquid Installation 4.6 GENERAL As-Built Drawings and Records Calibrations of Measuring and Test Equipment and Instruments Procedures and Report Records Certificates of Inspection and Test Personnel Qualification Construction Site Administration Records Environmental Report Records)	E OR ACTION TAKE
Cable Pulling Procedures Cable Pulling Tension Data Cable Separation Data Cable Splicing Procedures Cable Terminating Procedures Certified Cable Test Reports Documentation of Testing Performed After Installation & Prior to Systems Conditional Acceptance Electrical Components - Inspection Reports Field Workmanship Checklists or Equivalent Logs Instrument Calibration Results Relay Test Procedures Report of Pre-Installation Tests Voltage Breakdown Tests Results on Liquid Installation 4.6 GENERAL As-Built Drawings and Records Calibrations of Measuring and Test Equipment and Instruments Procedures and Report Records Certificates of Inspection and Test Personnel Qualification Construction Site Administration Records Environmental Report Records Field Assembly Procedures		
Cable Pulling Tension Data Cable Separation Data Cable Separation Data Cable Splicing Procedures Cable Terminating Procedures Certified Cable Test Reports Documentation of Testing Performed After Installation & Prior to Systems Conditional Acceptance Electrical Components - Inspection Reports Field Workmanship Checklists or Equivalent Logs Instrument Calibration Results Relay Test Procedures Report of Pre-Installation Tests Voltage Breakdown Tests Results on Liquid Installation 4.6 GENERAL As-Built Drawings and Records Calibrations of Measuring and Test Equipment and Instruments Procedures and Report Records Certificates of Inspection and Test Personnel Qualification Construction Site Administration Records Environmental Report Records Field Assembly Procedures		
✓ As-Built Drawings and Records Calibrations of Measuring and Test Equipment and Instruments Procedures and Report Records Certificates of Inspection and Test Personnel Qualification Construction Site Administration Records Environmental Report Records Field Assembly Procedures		
Calibrations of Measuring and Test Equipment and Instruments Procedures and Report Records Certificates of Inspection and Test Personnel Qualification Construction Site Administration Records Environmental Report Records Field Assembly Procedures		
Field Audit Reports Field QA Manuals Final Inspection Reports and Releases Specifications and Drawings Unusual Occurrence Reports Personnel Training and Qualifications Nonconformance Reports		

Request for	Records Disposition Authority – Continuation	JOB NO		PAGE OF 9 9
7. ITEM NO	8 DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)		9 SAMPLE OR JOB NO	10 ACTION TAKEN
	Series 5.0, PREOPERATIONAL AND STARTUP TEST REC	CORDS		
	Automatic Emergency Power Source Transfer Procedures and Results			
	Final Systems Adjustment Data Pressure Test Results (Hydrostatic or Pneum Initial Heatup, Hot functional and Cooldown Procedures and Results			
	Initial Plant Loading Data Initial Reactor Criticality Test Procedures Results			
	Main and Auxiliary Power Transformer Test P cedures and Results Off-Site Power-Source Energizing Procedure			
	Test Reports On-Site Emergency Power Source Energizing Procedure and Test Reports			
	Plant Load Ramp Change Data Plant Load Step Change Data Power Transmission Substation Test Procedur and Results	res		
	Preoperational Test Procedures and Results Primary and Secondary Auxiliary Power Test Procedures and Results			
	Reactor Protection System Tests and Results Startup Logs Startup Problems and Resolutions Startup Test Procedures and Results Station Battery and DC Power Distribution T Procedures and Reports Water Chemistry Reports			
	Instrument AC Systems and Inverters Test Procedures and Reports			
a.	Disposition: in agency Hard copy - Destroy 60 days after accurate, read archival quality microform copies ha been prepared and placed in security	ave		
ь.	storage. Destroy upon termination of plant. Microfilm - Hife of the Plant (Transfer immedia upon film verification to Federal Re	ately		
	Center, East Point, Georgia)			
	Disposition instructions are on follow page	ing		

equest for F	lecord:	s Disposition Authority—Continuation	JOB NO NCT-	142-80-1	PAGE OF
7. ITEM NO	,	8 DESCRIPTION OF ITEM (With Inclusive Dates or Retention Periods)		9 SAMPLE OR CM BOL	10 ACTION TAKEN
1.	Α.	Paper Copies - Destroy 60 days after accurate readable, archival quality microform copies been prepared and placed in security storage	have		
	В.	Microfilm	1		
		1.) Record Copy a) silver original and semiannually Federal Record East Point, Offer to NARS of CY when 25 old. 1600 ce 20. 2.) All other copies - Destroy when needed for records - Destroy when needed for records.	to rds Cente Georgia. S at end 5 years olls/yr. Accu	mulation w r plant e + start are c	lill end when tonstruction the phases ompleted.
And the second s	С.	Computer Output Microfiche Index or other Computer Printed Index (cumulative)		oure!	tasion film arranged by tification #,
		1) CRBRP Copy - Destroy when superseded	.		,
		2.) NARS Copy - Transfer late annually (who years old) to with related NARS will remove cooled finding aid superseded, to destroy.	en 25 o NARS I film. etain as until		
	D.	Computerized Index (Cumulative)			
		1) CRBRP copy - Destroy when	superse	ded.	
		Permanent. annually (whold) from dimagnetic tap send to NARS with related	nen 25 ye isk to be and Salong	ars	
		All manuals, procedural indexes, guides, doc and any necessary information retrieval rout Transfer to NARS the current version with re film. NARS to destroy when superseded as no	tines	finding and	danismas up
		Aperature Cards (design + as-built drawings). Arr. 1) Record copy (silver original + 1 diazo copy) Permodend off cy to FRC at East Point, Ga. Offe CY when 25 yrs. old	by drawing canent, Tra	ans er ann RS at evo	ocrum mas ago
		a) All other copies - Destray in agency when needed for reference, Four copies, including original, to be submitted to the National A		x	

4-28-30 At More Poplar/80